

DZ-FLWR-A-PRESIDENTIALCONFIDENTIAL

Sample ID: SA-260106-74949
 Batch: 26006PC3PA1
 Type: Finished Product - Inhalable
 Matrix: Plant - Flower
 Unit Size (g):
 Unit Volume (mL): , Density (g/mL):

Received: 01/09/2026
 Completed: 01/21/2026

Client
 Dazed
 242 W Main St #364
 Hendersonville, TN 37075
 USA


Summary

Test
 Cannabinoids
 Moisture

Date Tested
 01/21/2026
 01/20/2026

Status
 Tested
 Tested

0.0735 %	36.0 %	41.9 %	4.97 %	Not Tested	Yes
Δ9-THC	Δ9-THCA	Total Cannabinoids	Moisture Content	Foreign Matter	Internal Standard Normalization

Cannabinoids by HPLC-PDA

Analyte	LOD (%)	LOQ (%)	Result (% dry)	Result (mg/g dry)
CBC	0.00095	0.0028	0.138	1.38
CBCA	0.00181	0.0054	ND	ND
CBCV	0.0006	0.0018	ND	ND
CBD	0.00081	0.0024	ND	ND
CBDA	0.00043	0.0013	ND	ND
CBDV	0.00061	0.0018	ND	ND
CBDVA	0.00021	0.0006	ND	ND
CBG	0.00057	0.0017	0.820	8.20
CBGA	0.00049	0.0015	4.70	47.0
CBL	0.00112	0.0033	ND	ND
CBLA	0.00124	0.0037	ND	ND
CBN	0.00056	0.0017	ND	ND
CBNA	0.0006	0.0018	0.0463	0.463
CBT	0.0018	0.0054	ND	ND
Δ8-THC	0.00104	0.0031	ND	ND
Δ9-THC	0.00076	0.0023	0.0735	0.735
Δ9-THCA	0.00084	0.0025	36.0	360
Δ9-THCV	0.00069	0.0021	ND	ND
Δ9-THCVA	0.00062	0.0019	0.113	1.13
Total Δ9-THC			31.6206	316
Total			41.9	419


ND = Not Detected; NT = Not Tested; UA = Unsuitable for Analysis; NR = (Spike) Not Recoverable, sample matrix interference present which may affect accuracy of results; LOD = Limit of Detection; LOQ = Limit of Quantitation; RL = Reporting Limit; Δ = Delta; Total Δ9-THC = Δ9-THCA * 0.877 + Δ9-THC; Total CBD = CBDA * 0.877 + CBD;

Generated By: Ryan Bellone
 Commercial Director
 Date: 01/21/2026

Tested By: Nicholas Howard
 Scientist
 Date: 01/21/2026



ISO/IEC 17025:2017 Accredited
 Accreditation #108651



This product or substance has been tested by KCA Laboratories using validated testing methodologies and an ISO/IEC 17025:2017 accredited quality system. Values reported relate only to the product or substance tested. The reported result is based on a sample weight. Unless otherwise stated, results of tests performed on all quality control samples met criteria for acceptance established by KCA Laboratories. KCA Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected amounts of any substances reported herein. This Certificate of Analysis shall not be reproduced except in full, without the written approval of KCA Laboratories. KCA Laboratories can provide measurement uncertainty upon request.